

CLAIMS

1. A location-sensitive engine control system for use with an internal combustion engine, the system comprising:
 - a position locating system interfacing with control logic that further interfaces with an engine control;
 - 5 the position locating system determining location coordinates for the engine and relaying the coordinates to the control logic;
 - the control logic having an emissions map and comparing the coordinates to the map to determine corresponding emissions regulations which are converted to corresponding engine control settings that are relayed
 - 10 to the engine control; and
 - the engine control adjusts the engine control settings to alter the engine operating parameters to comply with the emissions regulations.
2. A system as in claim 1 wherein the control logic stores emissions data as an emissions log.
3. A system as in claim 2 including an antenna connected to the control logic for transmitting emissions log information.
4. A system as in claim 1 including an antenna connected to the control logic for receiving emissions map updates.

5. A method of controlling engine emissions comprising the steps of:

- providing an engine emission control system including position locating system interfacing with control logic and the control logic that
- 5 further interfaces with an engine control;
- determining location coordinates with the position locating system and relaying the location coordinates to the control logic;
- comparing the location coordinates to an emissions regulation map in the control logic to determine emission requirements, converting the
- 10 requirements to engine control settings;
- relaying the control settings to the engine control; and
- varying the control settings with the engine control to comply with the emissions requirements.

6. A method as in claim 5 including recording emissions output over time and location to create an emissions log.

7. A method as in claim 6 including transmitting the emissions log information.

8. A method as in claim 7 wherein the emissions log information is transmitted to determine tax liability.

9. A method as in claim 5 including receiving control logic emissions map information to update the emissions map.

10. A method as in claim 5 including uploading control logic emissions map information to update the emissions map.

11. A method as in claim 5 wherein engine emissions are varied by altering engine fuel injection timing.

12. A method as in claim 5 wherein engine emissions are varied by altering spark ignition timing.

13. A method as in claim 5 wherein engine emissions are varied by altering valve timing.